Ecolebooks.com	() fooleBooks
Name:	Admission No
232/3	Candidate's Signature:
PHYSICS PRACTICAL	
Paper 3	Date:
TERM TWO	
2 ½ hours	

FORM THREE

#### **INSTRUCTIONS TO CANDIDATES**

- (a) Write your name and admission number in the spaces provided above.
- (b) Sign and write the date of examination in the spaces provided above.
- (c) Answer ALL the questions in the spaces provided in the question paper.
- (d) You are supposed to spend the first **15 minutes** of the 2½ hours allowed for this paper reading the whole paper carefully before commencing your work.
- (e) Marks are given for a clear record of the observations actually made, their suitability, accuracy and the use made of them.
- (f) Candidates are advised to record their observations as soon as they are made.
- (g) Non-programmable silent electronic calculators may be used.
- (h) Thispaperconsists of 5 printed pages.
- (i) Candidatesshould check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.
- (j) Candidates should answer the questions inEnglish.

#### For Examiner's Use Only

#### Question 1

	b	d	e	f	g(i)	(ii)		
Maximum Score	1	7	5	3	2	2	20	
Candidate's Score								Total

Question 2


	b	c(i)	(ii)						
Maximum Score	12	5	3				20	Total	
Candidate's Score								GRAND	

This paper consists of 5- printed pages. Candidates should check to ascertain that all pages are printed as indicated and that no questions are missing. The Teacher to comment directly to the below contant.

### Ecolebooks.com

## **QUESTION ONE**

- 1. You are provided with the following apparatus;
  - Metre rule
  - Small piece of plasticine
  - 250ml beaker
  - 3 pieces of cotton thread each 30cm long
  - A piece of cellotape 5cm
  - A measuring cylinder 100ml
  - A stand and clamp
  - 50g mass
  - a) Using 30cm thread, suspend the metre rule at the 50cm marks. You may use some plasticine to ensure that the balance is exactly at 50cm.
  - b) Suspend the empty beater at 40cm mark and hang the 50g mass to the other side



Beaker

Move the 50g mass until the metre rule balances horizontally. Record the distance

*q* =.....cm

(1mrk)

Use the cello tape provided to fix the position of the 50g mass. Note the point of suspension must remain the same throughout the experiment.

- c) Using the measuring cylinder measure 20cm<sup>3</sup> of water and add it to the beaker. By varying the length Z obtain the new point and record it in the table below.
- d) Repeat the procedure above for other values of volumes as shown in the table, hence complete it


Volume V cm <sup>3</sup>	0	20	40	60	80	100	120
Length Z cm							
$\frac{1}{z}$ cm <sup>-1</sup>							


EcoleBooks

e) Plot a graph of volume V against  $\frac{1}{z}$ 

(7mrks)

(5mrks)





b) Adjust the potentiometer until you are able to obtain minimum reading on the voltmeter and maximum on the ammeter. Record these readings in the table below.

V (V)			
I(A)			
$\nabla$			
Ι			
1			
Ι			

(12mrks)

c) By adjusting the potentiometer, obtain five more readings at an interval of 0.5V and complete the table

i)Plot a graph of  $\frac{V}{I}$  against  $\frac{1}{I}$ 

(5mrks)

# Ecolebooks.com

EcoleBooks

ii) The equation for the graph is given by  $_{I}^{V} = \frac{E}{I} - k$  where *E* and *k* are constants. From the graph

determine the value of *E* and *k*.

(3mrks)