

# FORM 2 CHEM MARKING SCHEME

- 1(a) (i). green yellow
  - (ii). Soluble
  - (iii).shiny dark grey solid

(b).(i). 
$$MnO_{2(S)} + 4HCI_{(I)}$$
  $\longrightarrow$   $MnCI_{2(aq)} + CI_{2(g)} + 2H_2O_{(L)}$ 

- (ii). To oxidize HCl into chlorine gas
- (iii). KMnO<sub>4</sub> is a stronger oxidizing agent, it easily oxidizes HCl into chlorine gas.
- IV).- economical since heating is not required
  - -production of chlorine gas can easily be controlled
- (v). iron (III) chloride/ FeCl<sub>3</sub>

(vi). 3 
$$Cl_{2(g)}$$
 +2  $Fe_{(s)}$  \_\_\_\_\_ 2FeCl3<sub>(s)</sub>

(c(i)). hydrogen gas

(ii). 
$$Ca_{(s)} + 2 H_2O_{(l)}$$
 —  $Ca(OH)_{2(aq)} + H_{2(g)}$ 

- (iii). The calcium hydroxide formed is slightly soluble. Only a few *OH* are produced.
- (iv). Calcium hydroxide is used to the presence of carbon (IV) oxide gas.
- 2.(a).-sodium continues to burn with a white flame.

-a white solid substance is formed.

(ii) 
$$Na_{(s)} + Cl_{2(g)}$$
  $\longrightarrow$   $NaCl_{(s)}$ 

- (iii) used as food additive.
- (b)(i). -grey solid observed.



-Droplets of colourless liquid.

(ii). 
$$H_{2(g)} + PbO_{(s)}$$
  $\longrightarrow$   $H_2O_{(l)} + Pb_{(s)}$ 




- (iii). -Reducing property/ reducing agent.
- (iv). For activation energy and to speed up the reaction.
- 3.(i). oxygen gas/ O<sub>2</sub>
  - (ii). The PH would reduce. The unstable chloric (I) acid decomposes into acidic HCl.
  - (iii). The unstable yellow chloric (I) acid decomposes into oxygen and colourless HCl
  - (iv).  $2HOCl_{(aq)}$   $\underline{sunlight}$   $2HCl_{(aq)} +O_{2(g)}$
- (v). <u>it turns red and then bleached (colorless).</u> It turns red\_due to the acidic HCl. The dye in the litmus paper combines with the nacent oxygen atom from the unstable chloric (IO acid hence bleached.

(vi). 
$$HOCl_{(aq)} + dye_{(coloured)}$$
  $\longrightarrow$   $dye + O$  bleached)  $+HCl_{(aq)}$ 

- (vii)- manufacture plastics eg PVC
  - -water treatment
  - -manufacture bleaches used in paper industries (accept any other correct use)

4(a)(i).



- (ii) I. transition metals. II. Non metals.
- (b)(i). MgCl<sub>2</sub> (ignore state symbols; accept correct equation)
- I. Harmfull substance released into the environment.



- II. Soot is produced when hydrocarbons burn in limited supply of oxygen.
- (iii).I. Used to absorb carbon (iv) gas from the air.
  - II. Used to absorb moisture from the air.




(b). at A. 
$$2 H_{2(l)} + O_{2(g)} \longrightarrow 2H_2O_{(l)}$$

At B. 
$$Zn_{(s)} + 2HCl_{(aq)} \longrightarrow ZnCl_{2(aq)} + H_{2(g)}$$

- (ii)(a). to drive away the air initially in the tube to avoid oxidation of hot magnesium.
  - To produce steam to react with heated magnesium.
  - (b). K- hydrogen gas/H<sub>2</sub>
  - (C). It is less dense than air

(d). 
$$H_2O_{(g)} + Mg_{(s)}$$
  $\longrightarrow$   $MgO_{(s)} + H_{2(g)}$ 

- (e) .a. Upward delivery/ downward displacement of air.
  - b. Downward delivery/upward displacement of air.
- (ii). Method (b). carbon (iv) oxide is denser than air.
- 5. (a). curve B. pure substances have sharp melting and boiling points.
  - (b). Impurities lower the melting points but raises the boiling points. Of substances.
  - (c).-Hydrogen; acetylene/ ethyne.



(ii). Their colour changed from grey to red brown. They reacted with moisture/water and air to form rust.



- (iii). Rusting destroys appearance of materials.. it also weakens them.
- (iv).cool to -200°c and carry out fractional distillation to obtain nitrogen.
- (v). lime raises the soil PH/reduces the acidity of the soil/.