

# NATIONAL SENIOR CERTIFICATE

**GRADE 12** 

# **SEPTEMBER 2021**

# MATHEMATICAL LITERACY P2 MARKING GUIDELINE

ÉcoleBooks

**MARKS:** 150

Symbol	Explanation
M	Method
MA	Method with accuracy
CA	Consistent accuracy
RCA	Rounding consistent accuracy
A	Accuracy
С	Conversion
S	Simplification
SF	Correct substitution in a formula
J	Justification
0	Opinion/Example/Definition/Explanation/Justification/Verification
RT/RG/RM	Reading from a table/graph/map
P	Penalty, e.g. for no units, incorrect rounding off etc.
R	Rounding off
NPR	No penalty rounding or omitting units
AO	Answer only, full marks

This marking guideline consists of 10 pages.

#### MARKING GUIDELINES

#### **NOTE:**

- If a candidate answers a question TWICE, only mark the FIRST attempt.
- If a candidate has crossed out (cancelled) an attempt to a question and NOT redone the solution, mark the crossed out (cancelled version)
- Consistent Accuracy (CA) applies in ALL aspects of the marking guidelines; however, it stops at the second calculation error.
- If the candidate presents any extra solution when reading from a graph, table, layout plan and map, then penalise for every extra incorrect item presented.

#### LET WEL:

- As 'n kandidaat 'n vraag TWEE keer beantwoord merk slegs die EERSTE poging.
- As 'n kandidaat 'n antwoord van 'n vraag doodtrek (kanselleer) en nie oordoen nie, merk die doodgetrekte (gekanselleerde) poging.
- Volgehoue akkuraatheid (CA) word in ALLE aspekte van die nasienriglyn toegepas, maar dit hou by die tweede berekeningsfout op. ÉcoleBooks
- Wanneer 'n kandidaat aflees van 'n grafiek, tabel, uitlegplan en kaart en ekstra antwoorde gee, penaliseer vir elke ekstra item.

### <u>3</u>

## **KEY TO TOPIC SYMBOL:**

F = Finance; M = Measurement; MP = Maps, plans and other representations; P= Probability

QUES	TION 1	[26 MARKS]

Quest	Solution	Explanation	Level
1.1.1	25 mg : 1 000 mg ✓M (divide by 25)	1M ratio concept	M
	= 1 : 40 ✓ MA	1MA Simplification	L1
		(2)	
1.1.2	Tablets per day:		M
	25 × 2 ✓ MA	1MA multiplying by 2	L1
	= 50		
	Tablets per week:	1MA multiplying by 7	
	50 × 7 <b>√</b> MA	1A answer	
	= 350 mg ✓ A	(3)	
1.1.3	Number of days to use tablets:	1M finding the number of	M
	$60 \text{ tablets} \div 2 = 30 \text{ days} ✓ M$	days	L1
	Last day: 30 March 2021 ✓M	1M Referring to last date	
	Therefore, from the 31st March 2021 a refill is	10 Conclusion	
	needed. ✓O	(3)	
1.1.4	25 mg × 120 <b>✓</b> RT	1RT multiply correct values	M
	$= 3\ 000\ \mathrm{mg} \div 1\ 000\ \checkmark\mathrm{C}$	1C divide by 1 000	L1
	= 3 g ✓ A	1A answer	
		(3)	
1.2.1	The "North Elevation" shows the side view of the	2A correct explanation.	MP
	building from the northern direction. ✓ A		L1
	ÉcoleBooks	(2)	
1.2.2	(a) A floor plan shows a top view of the inside of a	2A correct explanation	MP
	building. ✓ ✓ A	(2)	L1
	(b) An elevation plan shows the side view of the	2A correct explanation	MP
	outside of the building. $\checkmark \checkmark A$	(2)	L1
1.2.3	Scale = 1 : 100		MP
	Measured length: 5 cm		L1
	Actual length: 5 × 100 cm ✓M	1M multiply by scale	
	= 500 cm ✓ MA	1MA answer	
		(2)	
1.3.1	$90 \text{ km} \times 1000 \times 100 \times 10 \checkmark \text{C}$		M
	= 90 000 000 mm ✓A	1C multiply by 1000 000	L1
	OR		
	√C	1A correct answer	
	$90 \text{ km} \times 1\ 000\ 000 = 90\ 000\ 000\ \text{mm} \checkmark \text{A}$	(2)	
1.3.2	No of tiles per box = $\frac{1,44 \text{ m}^2}{0.36 \text{ m}^2} \checkmark \text{M}$	1M dividing by $0.36 m^2$	M
	7,00	1A number of tiles	L1
	= 4 tiles per box ✓A	(2)	
1.3.3	1,125 hours		M
	1 hour	1C finding minutes	L1
	$0.125 \text{ hr.} \times 60 = 7.5 \text{ min } \checkmark \text{C}$	1C finding seconds	
	$0.5 \text{ min} \times 60 = 30 \text{ seconds } \checkmark \text{C}$	1A correct answer	
	1,125 hours = 1 hr. 7 min 30 seconds $\checkmark$ A	(3)	
		[26]	

QUEST	TION 2 [28 MARKS]		
Quest	Solution	Explanation	Level
2.1.1	George; Knysna; Mossel Bay ✓✓RT	2RT names of towns	MP
	(Any two of the three)	(2)	L1
2.1.2	South East ✓ ✓ A (accept East)	2A Direction	MP
	North East ✓✓ A	2A Direction	L1
		(4)	
2.1.3	National roads connect major cities. ✓✓O	2O Reason 1	MP
	Save on fuel consumption. ✓✓O	2O Reason 2	L4
	Fewer traffic lights ✓✓O		
	Travel faster ✓✓O		
	[Any two or any acceptable explanation.]	(4)	
2.1.4	$2.3 \text{ cm} = 300 \text{ km} \checkmark \text{A}$	1A measured bar scale	MP
	Measured distance = 7 cm ✓ A	1A measured distance	L2
		range for bar 2.2cm to 2,4cm	
	Actual distance = $\frac{7 \text{ cm}}{2.3 \text{ cm}} \times 300 \text{ km}$ $\checkmark$ M	measured map range distance	
	2,3 cm	from 6,9 to 7,1	
	≈ 913 km ✓CA	1M concept for ratio	
	≈ 913 Kill <b>V</b> CA	1CA rounded answer	
		(4)	
2.1.5	Distance = Speed $\times$ Time	Accept CA from Q 2.1.4	MP
	913 = 100 × Time ✓ SF	1SF substitute correct values	L4
		1M changing the subject of the	
	$=\frac{913 \ km}{100 \ km/h}  \checkmark M$	formula	
		1CA time in hours	
	= 9,13 hrs. ✓CA	ok <b>C</b> hours to minutes	
	= 9,13 nrs. <b>v</b> CA	1M adding time	
	0.12 v.60	1CA arrival time	
	$= 0.13 \times 60$ $= 7.8 \text{ minutes} \approx 8 \text{ minutes} \text{ s/C}$	1J justification	
	= 7,8 minutes $\approx$ 8 minutes $\checkmark$ C		
	Time of arrival = 9hrs $08 \text{ min} + 1\text{hr} + 08:00 \checkmark M$		
	$= 18:08  \checkmark \text{CA}$		
	They will arrive later than the planned time. ✓J		
	They will arrive facer than the planned time.	(7)	

Please turn over Copyright reserved

(EC/SEPTEMBER 2021)

## MATHEMATICAL LITERACY P2

5

Quest	Solution	Explanation	Level
2.2.1	7,6 litres = 100 km	Accept CA from	MP
	Petrol Consumption = $\frac{913km}{100 \text{ km}} \times 7.6 \text{ litres } \checkmark \text{M}$	Q 2.1.4 1M concept of ratio	L2
	= 9,13 × 7,6 litres		
	= 69,388 litres ✓S	1S simplification	
	Return trip Consumption = 69,388 × 2 ✓ M	1M multiply by 2	
	= 138,776 litres ✓CA	1CA Answer (4)	
2.2.2	$1.642 \text{ cents} \div 100 = R16,42  \checkmark M$	Accept CA from	MP
	Petrol cost = R16,42 × 138,776 litres $\checkmark$ CA	Q 2.2.1 1M Conversion	L2
	= R 2 278,701	1CA multiply by 138,78 litres	
	$= R 2 278,70 \checkmark CA$		
		1CA Answer	
		(3)	
		[28]	



	TION 3 [34 MARKS]	T 1 "	T .
Quest	Solution	Explanation	Level
3.1.1	Radius: $18 \text{ cm} \div 2 = 9 \text{ cm} \checkmark M$	1M radius	M
	Conversion to mm = $9 \text{ cm} \times 10 = 90 \text{ mm} \checkmark \text{C}$	1C conversion	L3
	Area = $\pi r^2$	1SF correct substitution	
	$= 3,142 \times 90 \text{ mm} \times 90 \text{ mm} \checkmark \text{SF}$	1S simplification	
	= 25 450,2 ✓S	1R rounding	
	$= 25 450 \text{ mm}^2 \checkmark \text{R}$	(5)	
3.1.2	Radius: 250 mm ÷ 2 = 125 mm ✓ MA	1MA finding radius	M
	Circumference = $2 \times \pi \times r$		L2
	$= 2 \times 3,142 \times 125 \text{ mm } \checkmark \text{SF}$	1SF correct values	
	$= 785,5 + 50 \text{ mm} \checkmark \text{M}$	1M adding 50 mm	
	= 835,5 mm ✓CA	1CA answer	
	OR	OR	
	Radius: $250 \text{ mm} \div 2 = 125 \text{ mm} \checkmark \text{MA}$	_	
		1MA finding radius	
	Circumference = $\pi \times D$	100	
	$= 3,142 \times 250 \checkmark SF$	1SF correct values	
	$= 785,5 + 50 \checkmark M$	1M adding 50 mm	
	= 835,5 mm ✓CA	1CA answer	
		(4)	
3.1.3	Conversion: length = $400 \text{ mm} \div 10 = 40 \text{ cm} \checkmark \text{C}$	1C conversion	M
	Volume = $1 \times b \times h$	1SF in formula	L3
	$42\ 000\ \mathrm{cm}^3 = 40\ \mathrm{cm} \times 30\ \mathrm{cm} \times \mathrm{h} \checkmark \mathrm{SF}$	1S changing the subject	
	Height = $42\ 000\ \text{cm}^3 \div 1200\ \text{cm}^2\ \checkmark \text{S}$	of the formula	
	= 35 cm ✓CA	1CA answer	
	ÉcoleBooks	(4)	
3.1.4	25,4 mm = 1 inches		M
J.1. i	Diameter in mm = 250 mm ✓RT	1RT using correct	L4
	Diameter in inches $= 250 \text{ inm}^{-2} \text{ A}$	values 250 mm and 25,4	L
		1MA convert to inches	
	= 9,84 inches ✓MA		
	Statement is not valid ✓O	10	
2.1.5	D 1' 1 250 2	(3)	3.6
3.1.5	Radius value = $250 \text{ mm} \div 2$	1MA finding the radius	M
	= 125 mm ✓MA	1M percentage	L2
	Height = $0.64 \times 125 \text{ mm } \checkmark \text{M}$	calculation	
	= 80 mm <b>✓</b> CA	1A answer	
		(3)	
3.1.6	Flour: Sugar (3 cups)		M
	7 cups : 3 cups (× 2)		L2
	14 cups: 6 cups		
		1MA dividing by 3	
	$=\frac{6}{3}$ $\checkmark$ MA	in it dividing by 5	
		1MA multiplying by 7	
	= 2	1 0 0	
	$= 2 \times 7 \checkmark MA = 14 \text{ cups of flour } \checkmark A$	1A answer	
	OR	13.64 11 12 1 2	
	7	1MA dividing by 3	
	$\frac{7}{2}$ $\checkmark$ MA $\times$ 6 $\checkmark$ MA = 14 cups of flour $\checkmark$ A	1MA multiplying by 6	
	3	1A answer	
		(3)	

7	

Quest	Solution	Explanation	Level
3.1.7	$^{\circ}$ C = $(^{\circ}$ F $-32^{\circ}) \div 1,8$		M
	✓ SF	1SF correct value	L2
	$= (365 ^{\circ}\text{F} - 32^{\circ}) \div 1.8$		
	= 333 °F ÷ 1,8 ✓ S	1S simplify	
	= 185°C	1R rounding to 10	
	≈ 190 °C ✓ R	degrees	
		(3)	
3.2.1	Tree diagram ✓✓ A	2A correct answer	P
		(2)	L1
3.2.2	Missing value P: Boy ✓RT	1RT correct answer	P
	Missing value Z: GBB ✓RT	1RT correct answer	L1
		(2)	
3.2.3	(a) Probability (2 girls at least) = $\frac{4}{8} \checkmark RT \checkmark RT$	1RT Numerator	P
		1RT Denominator	L2
	$=\frac{1}{2}$ $\checkmark$ CA	1CA simplification	
	Z	(3)	
3.2.3	(b) Probability (BGB) = $0 \% \checkmark \land A$	2A correct percentage	P
		(2)	L2
		[34]	

QUEST	TON 4 [32 MARKS]		
Quest	Solution	Explanation	Level
4.1.1	Basin / Wash basin ✓✓RT	2RT correct feature	MP
	ÉcoleBooks	(2)	L1
4.1.2	1 Window ✓✓RT	2RT correct number	MP
		(2)	L1
4.1.3	Width (bedroom 1 and bedroom 2) = $4680 + 5130 \checkmark MA$	1MA adding correct	M
	= 9 810 <b>√</b> A	values	L2
		1A length	
	Length of bathroom = 13 680 − 9810 ✓ M	1M finding length of	
	= 3870 <b>✓</b> CA	bathroom	
		1CA answer	
	Wall (minus door opening) = $(3.870 - 860) \text{ mm} \checkmark \text{ M}$	1M subtracting door	
	= 3 010 mm ✓ CA	width	
		1CA answer	
		(6)	

4.2.1	Bathroom Area = L	ength × Width		M
		370 mm × 2 250 mm ✓SF	1SF correct values	L3
		√A	1A finding area	
	=87	$707\ 500\ \text{mm}^2 \div 1\ 000\ 000\ \checkmark\text{C}$	1C ÷ by 1 000 000	
	= 8,7	$7075 \text{ m}^2 \checkmark \text{CA}$	1CA for the area	
	Kitchen Area = Le	ength × Width ✓SF		
			1SF correct values	
	= 6 (	030 mm × 5 130 mm ✓ A	1A finding area	
	= 30	$933\ 900\ \text{mm}^2 \div 1\ 000\ 000\ \checkmark\ \text{C}$	1C ÷ by 1 000 000	
	= 30	,9339 m² ✓CA	1CA for the kitchen area	
		,	1CA total area	
		7075 + 30,9339	(9)	
	= 39	,6414 m <sup>2</sup> ✓CA	NPR	
4.2.2	Area of 1 tile: 500 i	mm × 500 mm	CA from 4.2.1	M
	= 25	$0.000 \text{ mm}^2 \checkmark \text{MA (} \div 1000.000) \checkmark \text{C}$	1M area of tile	L4
		$25 \text{ m}^2 \checkmark \text{A}$	1C divide by 1 000 000	
	No. of tiles needed	$= 39,6414 \text{ m}^2 \div 0,25 \text{ m}^2 \checkmark MCA$	1MCA ÷ total area by	
		$=158,5656 \times 1,05 \checkmark M$	$0.25 \text{ m}^2$	
		=166,49388 tiles	1M increasing by 5%	
		= 167 tiles ✓CA	1CA rounded no. of tiles	
	Statement not valid		10 conclusion	
		-	(7)	
4.2.3	No of boxes $= 16$	7 ÷ 4 ✓ MCA	CA tiles from 4.2.2	M
	= 41	,75	1MCA dividing tiles by 4	L4
		boxes ✓ CA ÉcoleBooks	1 number of boxes	
		LCOIEBOOKS	1M multiply by cost	
	Amount for tiles	$= 42 \times 249,90 \checkmark M$	1CA cost of tiles	
		= R10 495,80 ✓CA		
		1110 .50,00 011	1M adding labour cost	
	Total amount	= 10 495,80 + 8 186,09		
		$= R18 681,89 \checkmark M$	10 conclusion	
	Claim is valid. ✓O		(6)	
			[32]	

QUEST	TION 5 [30 MARKS]		
Quest	Solution	Explanation	Leve 1
5.1.1	Convert: $175 \div 100 = 1,75 \text{ m} \checkmark \text{C}$	1C conversion	M
	$BMI = \frac{Mass in kg}{Height \times m^2}$		L3
	$25,1 = \frac{\text{Mass in kg}}{1,75\text{m} \times 1,75\text{m}} \checkmark \text{SF}$	1SF correct values	
	Mass = BMI × (height) <sup>2</sup> $= 25.1 \times (1.75)^{2}$	1S changing subject of	
	$= 25.1 \times (1.75)^{2}  \checkmark S$ Mass in (kg) = 76,86875 kg	formula	
	$= 76,87 \text{ kg} \checkmark \text{CA}$	1CA answer (4)	
5.1.2	Overweight ✓✓ J	1J conclusion	M
		(2)	L1
5.1.3	The young promising rugby player can eat	2O Explanation	M
	healthier. ✓✓O		L4
	OR	(2)	
5.2.1	He should exercise more regularly $\checkmark \checkmark O$ 3 laps = 5 000 m ÷ 1000 $\checkmark C$	(2) 1C divide by 1 000	MP
3.2.1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1MA divide by 3	L2
	= 1,67 km ✓CA	1CA distance per lap	
	OR	1MA divide by 3	
	1 lap = $5000 \text{ m} \div 3 \checkmark \text{MA}$	1C divide by 1000	
	= 1 666,666667 ÷ 1 000 ✓ C ≈ 1,67 km ✓ CA ÉcoleBooks	1CA distance per lap (3)	
5.2.2	Incomplete runs: $= 4 \text{ laps} \times 1,67 \text{ km} \checkmark \text{M}$	1M multiply by lap	MP
	= 6,68 km ✓A	distance	L4
		1A correct distance	
	Complete runs $= 3 \times 5 \text{ km}$	1MA finding complete run	
	= 15 km + 6,68 km ✓MA = 21,68 km ✓CA	distance	
	- 21,08 km ✓ CA  His statement is not valid. ✓ O	1CA finding total distance 1O correct conclusion	
	OR	1M multiply 4 by lap	
	✓M ✓M	distance	
	$\sqrt{M}$ $\sqrt{M}$ $(4 \times 1,67) + (9 \times 1,67)$	1M multiply 9 by lap	
	✓A ✓A	distance	
	= 6,68 + 15,03	1A correct distance 1A correct distance	
	= 21,71 km ✓CA His statement is not valid. ✓O	1CA finding total distance	
	The statement is not valid.	10 correct conclusion	
		(5)	
5.2.3	Difference in Time = 19 min 30 sec − 15 min 45 sec ✓ M	1M subtract time	MP
	$= 3 \min 45 \sec \checkmark A$ Difference in Time and Law 2. (M)	1A difference in time	L3
	Difference in Time per lap = $3 \min 45 \sec \div 3 \checkmark M$ = $1 \min 15 \sec \checkmark A$	1M divide by 3 1A total time	
	Statement is valid $\checkmark$	10 reason	
		(5)	
	I	l .	1

5.3.1	Number of candles	1MA ÷ by correct	MP
	Length: $24 \text{ cm} \div 8 \text{ cm} = 3 \checkmark \text{MA}$	values	L3
	Width: $16 \text{ cm} \div 8 \text{ cm} = 2 \checkmark \text{MA}$	1MA for 2 correct	
	Height: $24 \text{ cm} \div (1 + 11 \text{ cm}) = 2 \checkmark M$	values 3 and 2	
	✓ S	1M adding 1cm	
	J. B	1S simplify no of	
	Total number of candles: $3 \times 2 \times 2 = 12$ candles $\checkmark$ CA	candles	
		1CA conclusion	
	OR	OR	
		$1MA \times by correct$	
	Length: $8 \text{ cm} \times 3 = 24 \text{ therefore } 3 \text{ will fit } \checkmark \text{MA}$	values	
	Width: $8 \text{ cm} \times 2 = 16 \text{ therefore } 2 \text{ will fit } \checkmark \text{MA}$	1MA for 2 correct	
	Height: $(11 \text{ cm} + 1 \text{ cm} + 11 \text{ cm}) = 23 \text{ cm}$ , therefore 2 will	values 3 and 2	
	fit ✓MA	1M adding 1cm	
		1S simplify no of	
	✓S	candles	
	Total number of candles: $3 \times 2 \times 2 = 12$ candles $\checkmark$ CA	1CA conclusion	
		(5)	
5.3.2	Total area = $2 (H \times L) + 2 (W \times H) \checkmark C$	1C converting to m	M
	$= 2 (0.24 \text{ m} \times 0.24 \text{ m}) + 2 (0.16 \text{ m} \times 0.24 \text{ m}) \checkmark \text{SF}$	1SF correct values	L2
	$= 0.1152 \text{ m}^2 + 0.0768 \text{ m}^2 \checkmark \text{S}$	1S simplification	
	$= 0.192 \text{ m}^2 \checkmark \text{CA}$	1CA answer	
		(4)	
		[30]	
	ÉcoleBooks	<b>TOTAL: 150</b>	