


SECTION A

QUESTION 1

In the diagram below:

- P is the centre of the circle.
- AB and CD pass through P.
- A, B, C and D lie on the circle.
- The equation of line AB is $y = -2x + 3$.
- The equation of line CD is $y = 3x - 7$.



(a) Determine the coordinates of A.

(1)

(b) Calculate the coordinates of point P, the centre of the circle.

(3)

- (c) Calculate the length of AP.

(2)

- (d) Write down the equation of the circle with centre P in the form $(x - p)^2 + (y - q)^2 = r^2$.

(2)

- (e) Calculate the coordinates of B.



(2)

- (f) If Q is the x-intercept of AB, determine the equation of the line that is parallel to CD and passing through Q.

(4)

[14]

QUESTION 2

(a) If $\cos 25^\circ = m$, then, without the use of a calculator, determine the value(s) of the following in terms of m :

(1) $\sin 25^\circ$

(2)

(2) $\cos 50^\circ$




(2)

(3) $\cos 55^\circ$

(3)

QUESTION 4

- (a) Use the diagram below to prove the statement that says, "The acute angle formed by a chord and a tangent at the point of contact is equal to the angle in the alternate segment."



Required to prove that $\hat{EAC} = \hat{ABC}$.

Construction: _____ (1)

Proof:

(5)


QUESTION 5

(a) If $g(x) = \tan \frac{x}{2}$ then:

(1) Determine all values of x (general solution) for which $g(x)$ is undefined.

(2)

(2) On the set of axes provided below, sketch $g(x)$ if $x \in [-180^\circ ; 180^\circ]$.



(3)

QUESTION 6


- (a) The table below is a cumulative frequency table that summarises the ages of people that attended a music concert.

Class interval (age in years)	Cumulative frequency
$0 < x \leq 15$	12
$15 < x \leq 30$	28
$30 < x \leq 45$	50

How many people who attended the music concert were older than 15 but younger than or equal to thirty years in age?

(1)

- (b) Refer to the cumulative frequency curve representing test results below.



- (1) Show on the graph where you would find the median test result.

(1)

- (2) Determine the interquartile range.

(2)

(c) For the data in the table below the line of best fit is $y = A + Bx$.

x	22	31	40	24	42
y	43	58	81	45	80


(1) Calculate the values of A and B:

A = _____ B = _____ (2)

(2) If the correlation coefficient is 0,99; explain why it is not a wise idea to make a prediction for y if x is equal to 230.

(1)

(d) (1) A box-and-whisker diagram is shown below.



Draw in the median on the diagram above so that the plot represents data that is skewed to the right or positively skewed.



(1)

(2) The managing director of a sales department with 120 people gives an annual bonus to the top 40 performing individuals. Explain why the annual average income of his staff is positively skewed.

(1)

(e) You have a machine that cuts wooden poles into ten-metre lengths. You take a random sample of poles and measure their lengths in metres and calculate the standard deviation of the lengths to be 0,8.

Do you think the machine needs a service? Explain.

(2)


[11]

75 marks

SECTION B

QUESTION 7

The diagram below shows the relationship between the time spent on an electronic device and the amount of time spent doing physical activity during the day.



(a) Circle the correlation coefficient that best describes the data represented in the diagram above:

- $r = 1$ $r = -1$ $r = 0,8$ $r = -0,8$ (1)

(b) If A and B were removed from the data set above, what would happen to the:

(1) correlation coefficient?

_____ (1)

(2) gradient of the line of best fit?

_____ (1)

(3) Circle the line below which best describes the person represented by A.

- A person who has just bought an i-pad and plays computer games.
- A person who watches sport on television and likes to read books.
- A person who plays professional sport and studies via the internet.

(1)

- (c) Please refer to the information in the table below and answer the questions that follow.

	COFFEE SHOP A	COFFEE SHOP B
Days of the week	Cups of coffee sold per day	Cups of coffee sold per day
Monday	low	fairly high
Tuesday	low	fairly high
Wednesday	low	fairly high
Thursday	low	fairly high
Friday	high	fairly high
Saturday	high	fairly high
Sunday	high	low
MEAN	350 cups/day	350 cups/day
Standard Deviation	m cups/day	p cups/day

- (1) Explain why the standard deviation at Coffee Shop B is smaller than the standard deviation at Coffee Shop A.



(1)

- (2) If Coffee Shop A decides to sell coffee at a higher price on the weekends, then how would this affect the mean and standard deviation?

(2)


- (3) What possible strategy could coffee shop B introduce so that the mean and standard deviation both increase? (Explain your answer.)

(1)

[8]


QUESTION 9

- (a) A metal frame is built to help provide some shade to a triangular piece of land ABC.
- A, B and C are on the same horizontal plane.
 - AC = 7 metres; CB = 8 metres and AB = 10 metres.
 - AF, BG and CH are vertical metal poles.
 - AF = BG = 3 metres and CH = 2 metres.
 - HF, FG and GH are metal poles that complete the metal frame.



Calculate the area of $\triangle FGH$. (The area of canvas required.)

- (b) In the diagram below, C and A are points that lie on the circle.
- C and B lie on the x-axis.
 - AB is a tangent at point A(5; 3).
 - The equation of the circle is $x^2 + y^2 - 6x - 4y + 8 = 0$.



- (1) Find the coordinates of C.



(2)

