



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

NATIONAL SENIOR CERTIFICATE

GRADE 12

MATHEMATICAL LITERACY P2


FEBRUARY/MARCH 2016

MEMORANDUM

MARKS: 150

Symbol	Explanation
M	Method
MA	Method with accuracy
CA	Consistent accuracy
A	Accuracy
C	Conversion
S	Simplification
RT/RG/RD	Reading from a table/graph/diagram
SF	Correct substitution in a formula
O	Opinion/reason/deduction
P	Penalty, e.g. for no units, incorrect rounding off, etc.
R	Rounding off
NP	No penalty for rounding

This memorandum consists of 14 pages.

QUESTION 1 [34 MARKS]			
Ques	Solution	Explanation	Level
1.1.1	<p>SUBTOTAL ✓A</p> <p>= R2 893,86 + R394,74 + R180 + R2 719,30 + R30,70 ✓A</p> <p>= R6 218,60 ✓CA</p> <p>Calculating VAT</p> <p>= R6 218,60 × 14% OR A = R6 218,60 × 1,14 ✓M</p> <p>= R870,60 ✓M = R7 089,20 ✓CA</p> <p>A = R6 218,60 + R870,60</p> <p>= R7 089,20 ✓CA</p>	<p>1A cost of gas</p> <p>1A cost of gas piping</p> <p>1M adding</p> <p>1M calculating VAT</p> <p>1CA simplification</p> <p style="text-align:right">(5)</p>	<p>F</p> <p>L2</p>
1.1.2	<p>OPTION 2</p> <p>Total cost = R3 499,00 + R499,00 + R189,00 + R235,00 ✓✓M</p> <p>+ (4 × R3,50) + (R23,50 × 2) + (R350,00 × 3) + R349,00</p> <p>= R5 882,00 ✓CA</p> <p>Difference in price = R7 089,20 – R5 882,00</p> <p>= R1 207,20 ✓CA</p> <p>Mr Chan's estimation is NOT valid. </p>	<p>2M for adding all correct values</p> <p>1CA simplification</p> <p>1CA for the difference</p> <p>1O conclusion</p> <p style="text-align:right">(5)</p>	<p>F</p> <p>L4</p>
1.1.3	<p>The brand of the gas stove. ✓✓O</p> <p>OR</p> <p>No time to shop around. ✓✓O</p> <p>OR</p> <p>The company will install the stove. ✓✓O</p> <p>OR</p> <p>Reputable dealer ✓✓O</p> <p>OR</p> <p>After sales service ✓✓O</p> <p>OR</p> <p>Any suitable answer ✓✓O</p>	<p>2O (any suitable answer)</p> <p style="text-align:right">(2)</p>	<p>F</p> <p>L4</p>

Ques	Solution	Explanation	Level
1.2.1	$\left. \begin{array}{l} \text{Length} = 5 \text{ bottles} \\ \text{Width} = 2 \text{ bottles} \\ \text{Height} = 2 \text{ bottles} \end{array} \right\} \checkmark\text{M}$ <p>Number of bottles in cage = $5 \times 2 \times 2 = 20$ bottles $\checkmark\text{CA}$</p>	<p>1M for number of bottles per dimension</p> <p>1CA total number of bottles</p> <p>(2)</p>	M L2
1.2.2	<p>Length of shelve = $10 \text{ mm} \times 6 + 314 \text{ mm} \times 5$ $= 60 \text{ mm} + 1\,570 \text{ mm} \quad \checkmark\text{M}$ $= 1\,630 \text{ mm} \quad \checkmark\text{CA}$</p> <p>Width of shelve = $10 \text{ mm} \times 3 + 314 \text{ mm} \times 2$ $= 30 \text{ mm} + 628 \text{ mm} \quad \checkmark\text{M}$ $= 658 \text{ mm} \quad \checkmark\text{CA}$</p> <p>Length of sheet of metal = $3,4 \text{ m} = 3\,400 \text{ mm} \quad \checkmark\text{C}$</p> <p>Width of sheet of metal = $2,1 \text{ m} = 2\,100 \text{ mm}$</p> <p>Lengthwise by lengthwise = 2 shelve lengths $\checkmark\text{CA}$</p> <p>Width wise by width wise = 3 shelve widths $\checkmark\text{CA}$</p> <p>Total number of shelves = 2×3 $= 6$ shelves $\checkmark\text{CA}$</p>	<p>1M adding correct lengths</p> <p>1CA total length</p> <p>1M adding correct widths</p> <p>1CA total width</p> <p>1C conversion to mm</p> <p>1CA number of lengths</p> <p>1CA number of widths</p> <p>1CA number of shelves</p> <p>(8)</p>	M L3

Ques	Solution	Explanation	Level
1.3.1	Tax rebate reduces the tax payable ✓✓O Medical aid credit reduces the amount of tax to be paid. ✓✓O	2O reason 2O reason (4)	F L4
1.3.2	Taxable income = R742 000 Tax in 2015/2016 $\begin{aligned} \text{Tax payable} &= \overset{\checkmark}{\text{RT}} R208\,587 + 41\% \text{ of } (R742\,000 - R701\,300) - \\ &\quad R13\,257 - 12 \times (2 \times R270 + 3 \times R181) \quad \checkmark \text{MA} \\ &= R208\,587 + 41\% \text{ of } (R40\,700) - R13\,257 - 12 \times (R540 + R543) \\ &= R208\,587 + R16\,687 - R13\,257 - R12\,996 \quad \checkmark \text{CA} \\ &= R199\,021 \quad \checkmark \text{CA} \end{aligned}$ Tax in 2014/2015 $\begin{aligned} \text{TI} &= R195\,212 + 40\% \text{ of } (R742\,000 - R673\,100) - R12\,726 - 12 \\ &\quad \times (2 \times R257 + 3 \times R172) \\ &= R195\,212 + 40\% \text{ of } (R68\,900) - R12\,726 - 12 \times (R514 + R516) \\ &= R195\,212 + R27\,560 - R12\,726 - R12\,360 \quad \checkmark \text{CA} \\ &= R197\,686 \quad \checkmark \text{CA} \end{aligned}$ $\checkmark \text{O}$ The statement is NOT valid, the increase is R1 335,00.	1RT tax bracket 1MA correct values 1MA correct values subtracted 1CA simplification 1CA total 1CA simplification 1CA total 1O deduction (8)	F L4
		[34]	

QUESTION 2 [28 MARKS]			
Ques	Solution	Explanation	Level
2.1.1(a)	<p>July salary for a worker on Wage Rate A</p> $= R11\ 000 \times 7\% + R11\ 000 \quad \checkmark M$ $= R770 + R11\ 000 \quad \checkmark CA$ $= R11\ 770 \quad \checkmark CA$ <p>Daily earnings = $R11\ 770 \times 12 \div 365 \quad \checkmark M$</p> $= R\ 386,9589041 \quad \checkmark CA$ <p>Earnings lost after 28 days = $R386,9589041 \times 28$</p> $= R10\ 834,85 \quad \checkmark CA$	<p>1M Calculating the 7% increase 1CA calculating salary after increase 1CA simplification</p> <p>1M calculating daily rate</p> <p>1CA multiplying by 28</p> <p>1CA calculating loss of earnings</p> <p>(6)</p>	F L3
2.1.1(b)	<p style="text-align: right;">✓✓O</p> <p>Workers bills will not be paid./Unpaid bills accumulate interest adding to debt</p> <p>OR</p> <p style="text-align: right;">✓✓O</p> <p>Take a long time to make up the money lost due to a strike.</p> <p>OR</p> <p>Workers can become unemployed if the company closes its doors due to a prolonged strike. ✓✓O</p> <p>OR</p> <p style="text-align: right;">✓✓O</p> <p>Workers can be retrenched due to loss of business.</p>	<p>2O for any correct reason</p> <p>(2)</p>	F L4

Ques	Solution	Explanation	Level
2.1.2	<p>Pay at the end of July if not on strike</p> $= R6\ 000 + R6\ 000 \times 8\% \quad \checkmark \text{ MA}$ $= R6\ 000 + R480$ $= R6\ 480,00 \quad \checkmark \text{ CA}$ <p>Lost income due to 28 day strike</p> $= R6\ 480 \times 12 \div 365 \times 28$ $= R213,04 \times 28$ $= R5\ 965,15 \quad \checkmark \text{ CA}$ <p>Gain in increase after strike</p> $= R6\ 000 \times 2\%$ $= R120 \quad \checkmark \text{ CA}$ <p>Salary gained from end July 2014 till end of June 2014</p> $= 120 \times 11$ $= R1\ 320,00 \quad \checkmark \text{ CA}$ <p>No, he will not be able to cover the loss. $\checkmark \text{ O}$</p>	<p>1M calculating salary increase if not on strike</p> <p>1CA calculating new salary</p> <p>1CA calculating loss in income for 28 days of striking</p> <p>1CA calculating diff in increase if on strike</p> <p>1CA calculating gained salary</p> <p>1O Conclusion</p>	<p>F L4</p> <p>(6)</p>

Ques	Solution	Explanation	Level
2.2.1	No change in employment. ✓✓O OR Employment numbers remain the same. ✓✓O	2O interpretation (2)	D L4
2.2.2	The year 2009 ✓✓A Number of jobs lost = 153 000 + 259 000 + 527 000 – 143 000 ✓✓RT = 796 000 ✓CA	1A reading correct year. 2RT reading correct values from table 1CA simplification (5)	DH L3
2.2.3	The year 2011 ✓RT All four quarters were positive improvement was experienced 2011: $= \frac{5+18+197+218}{4} \quad \checkmark \text{ MA}$ $= 109,5 \text{ thousand} \quad \checkmark \text{ M}$ $= 109\,500 \quad \checkmark \text{ CA}$	1RT stating the correct years 2011 and 2013 1MA adding all scores 1M dividing by 4 1CA calculating the mean (4)	DH L3
2.2.4	Number of people $= 15\,000\,000 - (141\,000 + 344\,000 + 133\,000) \quad \checkmark \text{ A}$ $= 15\,000\,000 - 618\,000$ $= 14\,382\,000 \quad \checkmark \text{ CA}$	1 A reading correct values 1M subtracting 1CA simplification (3)	DH L3
		[28]	

Ques	Solution	Explanation	Level
3.2	$\text{Distance in km} = \frac{5222,086}{0,6215} \text{ km} = 8\,402 \text{ km} \quad \checkmark \text{ C}$ $\text{Time taken} = 24 \text{ h} - 17\text{h}14\text{min} + 4\text{h } 11\text{min} \quad \checkmark \text{ A}$ $\text{Time} = 10,95\text{hrs} \quad \checkmark \text{ C}$ $\text{Speed} = \frac{8402}{10,95} \text{ km/h} = 767,31 \text{ km/h} \quad \checkmark \text{ M} \quad \checkmark \text{ CA}$ $\text{Speed in knots} = \frac{767,31}{1,852} = 414,31 \quad \checkmark \text{ CA}$	1C to km 1A correct time 1C converting to hr 1M substitution 1CA speed 1CA speed in knots (6)	M L3
3.3.1	$A = \$175\,000 \div 250 \quad \checkmark \text{ M} \quad \text{OR} \quad A = \frac{\$79\,500 - 27\,000}{75} \quad \checkmark \text{ M}$ $= 700 \text{ belts} \quad \checkmark \text{ CA}$ $B = \$27\,000 + \$75 \times 800 \quad \checkmark \text{ M}$ $= \$87\,000 \quad \checkmark \text{ CA}$ $C = \$250 \times 400$ $= \$100\,000 \quad \checkmark \text{ CA}$	1M dividing by 250 1CA simplification 1M adding US\$27 000 and multiplying by US\$75 1CA simplification 1A value (5)	F L2 L3
3.3.2	$\text{Income} = \$250 \times 800 + \$175 \times 1\,000 \quad \checkmark \text{ A} \quad \checkmark \text{ A}$ $= \$375\,000 \quad \checkmark \text{ CA}$	1A income from belts 1A income from T-shirts 1CA simplification (3)	F L2

Ques	Solution	Explanation	Level
<p>3.3.3(a) and (b)</p>	<p>Points for the graph to be drawn: (0 ; 15 000); (100; 25 500); (200; 36 000); (300; 46 500); (400 ; 57 000); (500; 67 500); (600; 78 000); (700; 88 500); (800 ; 99 000); (900; 109 500); (1 000; 120 000);</p>		<p>F L3</p>
<p>TOTAL INCOME FROM AND TOTAL COST FOR MANUFACTURING AND SELLING T-SHIRTS AND BELTS</p> <p>KEY: I_B = Income from selling belts I_T = Income from selling T-shirts C_B = Cost of producing belts</p> <p>1A starting point 1A end point 3A for any other correct points 1A joining points</p>			
<p>3.3.3(b)</p>	<p>Vertical line at 600 items between income and cost graphs. Refer to the graph line <i>XY</i>.</p>		<p>(2)</p>
			<p>[37]</p>

QUESTION 4 [29 MARKS]			
Ques	Solution	Explanation	
4.1.1	$46\% \text{ of } 538\,421 = 247\,674 \quad \checkmark \text{ RT} \quad \checkmark \text{ A}$ <p>The closest is Gauteng with 246 989. $\checkmark \text{ A}$</p> <p>OR</p> $\text{Gauteng} = \frac{246\,989}{538\,421} \times 100\% = 45,87\% \quad \checkmark \text{ RT} \quad \checkmark \text{ A}$ <p>Gauteng. $\checkmark \text{ A}$</p>	<p>1RT reading data from table 1A calc. percentage 1A province</p> <p>1RT reading data from table 1A calc. percentage 1A province (3)</p>	DH L2
4.1.2	$P(\text{teacher from EC}) = \frac{61\,260}{390\,608} \quad \checkmark \text{ A} \quad \checkmark \text{ M}$ $= 0,1568..$ $\approx 0,16 \text{ OR } 15,68\%$	<p>1A number of teachers 1M probability (2)</p>	P L3
4.1.3	$\text{Total number of learners} = 9 \times 1\,346\,335 \quad \checkmark \text{ M}$ $= 12\,117\,015 \quad \checkmark \text{ CA}$ $A = 12\,117\,015 - (1\,889\,307 + 656\,408 + 1\,944\,486 + 2\,831\,311 + 1\,034\,151 + 284\,908 + 784\,184 + 1\,026\,744)$ $A = 12\,117\,015 - 10\,451\,499 \quad \checkmark \text{ M}$ $= 1\,665\,516 \quad \checkmark \text{ CA}$	<p>1M multiplying 1CA simplification 1A adding all correct values 1M subtracting correct values 1CA the value of A (5)</p>	DH L2 L3
4.1.4	<p>Public School's teacher-pupil ratio</p> $390\,608 : 12\,117\,015 \quad \checkmark \text{ M}$ $1 : 31,0209 \quad \checkmark \text{ CA}$ <p>Independent Schools</p> $34\,482 : 538\,421 \quad \checkmark \text{ M}$ $1 : 15,6145 \quad \checkmark \text{ CA}$ <p>The educator's statement is valid. $\checkmark \text{ O}$</p>	<p>1M correct values used 1M concept of ratio 1CA simplified ratio</p> <p>1M correct values and ratio 1CA simplified ratio</p> <p>1O correct deduction (6)</p>	DH L4

Ques	Solution	Explanation	Level
4.1.5	Learners' population increase every year. ✓✓ O OR Learners transfer out of special schools to ordinary schools ✓✓ O	2O reason 2O Reason (2)	DH L4
4.2.1	$R530 \times 672\,290 \times 12 = R\,4\,275\,764\,400,00.$ ✓✓ A	1M multiplying 2A solution (3)	DH L2
4.2.2	KZN with highest: 2014/2015: $\frac{2\,901\,697 - 2\,866\,570}{2\,866\,570} \times 100\%$ $= 1,2254\dots\%$ $\approx 1,23\%$ ✓A ✓M/A ✓CA	1A correct province 1M/A calculation 1CA percentage (3)	DH L3
4.3	Length of table = 1,75 m Half the length of the table = $1,75\text{ m} \div 2 = 0,875\text{ m}$ If scale 1 : 8 is used Length of model = $7,5\text{ m} \div 8 \times 1$ ✓ M $= 0,9375\text{ m}$ ✓CA 0,9375 m will not fit on the actual table. Therefor the scale of 1 : 8 will NOT be suitable. ✓✓ O	1A calculating half the table size 1M using the scale 1CA calculating modal length 2O deduction (5)	MP L4
			[29]

QUESTION 5 [22 MARKS]			
Ques	Solution	Explanation	
5.1.1	<p>Volume of a cylinder = $\pi \times (\text{radius})^2 \times \text{height}$</p> <p>$60\text{m}^3 = 3,142 \times (\text{radius})^2 \times 7,35\text{ m} \quad \checkmark \text{ SF}$</p> <p>$(\text{radius})^2 = \frac{60\text{m}^3}{3,142 \times 7,35\text{ m}} \quad \checkmark \text{ M}$</p> <p>$= 2,598111173\text{ m}^2$</p> <p>$\text{radius} = \sqrt{2,598111173} \quad \checkmark \text{ M}$</p> <p>$= 1,611865743\text{ m} \quad \checkmark \text{ CA}$</p> <p>diameter = $1,611865743\text{ m} \times 2$</p> <p>$= 3,223731486\text{ m} \quad \checkmark \text{ CA}$</p>	<p>1S substituting</p> <p>1M changing the subject</p> <p>1M square root</p> <p>1CA radius</p> <p>1CA diameter</p> <p>(5)</p>	M L3
5.1.2	<p>Total capacity = $4 \times 60\text{ m}^3 \quad \checkmark \text{ M}$</p> <p>$= 240\text{ m}^3 \quad \checkmark \text{ C}$</p> <p>$= 240\,000\text{ l}$</p> <p>Capacity in gallon = $\frac{240\,000}{3,7} \quad \checkmark \text{ M}$</p> <p>$\approx 64\,864,86 \quad \checkmark \text{ CA}$</p>	<p>1M multiplying</p> <p>1C convert to l</p> <p>1M dividing</p> <p>1CA gallons</p> <p>(4)</p>	M L2
5.1.3	<p>Volume of fertiliser in silos = $(15\% \times 60\text{m}^3) + (\frac{1}{4} \times 60\text{m}^3) \quad \checkmark \text{ M}$</p> <p>$= 9\text{ m}^3 + 15\text{ m}^3$</p> <p>$= 24\text{ m}^3 \quad \checkmark \text{ A}$</p> <p>Fertiliser needed for wheat field $\quad \checkmark \text{ M}$</p> <p>$= 1\,055\text{ acres} \times 22,65\text{ kg}$</p> <p>$= 23\,895,75\text{ kg}$</p> <p>$= \frac{23\,895,75}{1,3}\text{ litre}$</p> <p>$= 18\,381,35\text{ litre} \quad \checkmark \text{ C}$</p> <p>Volume of fertiliser needed = $18\,381,35 \div 1\,000$</p> <p>$= 18,38\dots\text{ m}^3$</p> <p>$\approx 18,4\text{ m}^3 \quad \checkmark \text{ C}$</p> <p>She will have enough fertiliser for the wheat field. $\quad \checkmark \text{ O}$</p>	<p>1M % and $\frac{1}{4}$ of 60</p> <p>1A volume of silos</p> <p>1M multiply by 22,65</p> <p>1C convert to l</p> <p>1C conversion</p> <p>1O deduction</p> <p>(6)</p>	M L4

Ques	Solution	Explanation	
5.2	June, July, Aug. $\text{Mean (2012)} = \frac{93,8 + 282,2 + 52,2}{3} \quad \checkmark \text{ M}$ $= 142,73 \text{ mm} \quad \checkmark \text{ A}$ $\text{Mean (2013)} = \frac{244,2 + 56,2 + 19,0}{3}$ $= 106,47 \text{ mm} \quad \checkmark \text{ A}$ $\text{Mean (2014)} = \frac{316,4 + 32,6 + 14,8}{3}$ $= 121,27 \text{ mm} \quad \checkmark \text{ A}$ $\text{Mean (2015)} = \frac{68,0 + 16,4 + 215,2}{3} \quad \checkmark \text{ A}$ $= 99,8667 \text{ mm}$ The probability will be 75%. $\checkmark \checkmark \text{ CA}$	1M concept of mean 1A mean 2011 1A mean 2012 1A mean 2013 1A mean 2014 2CA probability in % (7)	P L2 L4
		[22]	
		TOTAL: 150	

