



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

**NATIONAL
SENIOR CERTIFICATE/NASIONALE SENIOR
SERTIFIKAAT**

GRADE/GRAAD 12

**MATHEMATICAL LITERACY P2/
WISKUNDIGE GELETTERDHEID V2**

NOVEMBER 2021

MARKING GUIDELINES/NASIENRIGLYNE

MARKS/PUNTE: 150

SYMBOL/KODE	EXPLANATION/VERDUIDELIKING
M	Method/ <i>Metode</i>
MA	Method with accuracy/ <i>Metode met akkuraatheid</i>
CA	Consistent accuracy/ <i>Volgehoue akkuraatheid</i>
A	Accuracy/ <i>Akkuraatheid</i>
C	Conversion/ <i>Herleiding</i>
S	Simplification/ <i>Vereenvoudiging</i>
RT	Reading from a table/graph/map/diagram/ <i>Lees vanaftabel/kaart/grafiek/diagram</i>
SF	Correct substitution in a formula/ <i>Korrekte vervanging in formule</i>
O	Opinion/Explanation/Reasoning / <i>Opinie/Verduideliking/Redenasie</i>
P	Penalty, e.g. for no units, incorrect rounding off, etc./ <i>Penalising, bv. vir geen eenhede/verkeerde afronding, ens.</i>
R	Rounding off/ <i>Afronding</i>
NPR	No penalty for correct rounding minimum two decimal places/ <i>Geenpenalisingvir korrekte afronding tot twee desimale plekke nie</i>
AO	Answer only/ <i>Slegs antwoord</i>
MCA	Method with constant accuracy/ <i>Metode met volgehoue akkuraatheid</i>

**These marking guidelines consist of 19 pages.
Hierdienasienriglynebestaanuit 19 bladsye.**

NOTE:

- If a candidate answers a question TWICE, only mark the FIRST attempt.
- If a candidate has crossed out (cancelled) an attempt to a question and NOT redone the solution, mark the crossed out (cancelled) version.
- Consistent accuracy (CA) applies in ALL aspects of the marking guidelines; however it stops at the second calculation error.
- Note: consistent accuracy (CA) does not apply in cases of a breakdown.
- If the candidate presents any extra solution when reading from a graph, table, layout plan and map, then penalise for every extra item presented.

As a general marking principle, if a candidate has incurred one mistake and there is evidence of sound mathematics thereafter, then that candidate should lose one mark only.

LET WEL:

- As 'n kandidaat 'n vraag TWEE KEER beantwoord, merk slegs die EERSTE poging.
- As 'n kandidaat 'n antwoord van 'n vraag doodtrek (kanselleer) en nie oordoen nie, merk die doodgetrekte (gekanselleerde) poging.
- Volgehoue akkuraatheid (CA) word in ALLE aspekte van die nasienriglyne toegepas, dit hou op by die tweede berekeningsfout.
- Let wel: volgehoue akkuraatheid (CA) geld nie in die geval van 'n afbreuk nie.
- Wanneer 'n kandidaat aflesings vanaf 'n grafiek, tabel, uitlegplan en kaart geneem en ekstra antwoorde gee, penaliseer vir elke ekstra item.
- 'n Algemene merkbeginsel is dat indien 'n kandidaat een fout maak en daarna voortgaan met korrekte wiskunde, dat die kandidaat slegs een punt verloor.

QUESTION/VRAAG 1 [29 MARKS/PUNTE] Answer Only AO - full marks			
Q/V	Solution/Oplossing	Explanation/Verduideliking	T/L
1.1.1	Total mass/Totale massa = $6 \times 110\text{g}$ ✓MA = 660 g ✓A	1MA multiply mass by 6 1A mass (2)	M L1
1.1.2*	Radius = 32 mm ✓✓A	2A radius (2)	M L1
1.1.3	A ✓✓A	2A correct letter [accept: mm ³] (2)	M L1
1.1.4*	Total No. of days/Totale getal dae = 11 Jan to 31 Mar ✓ MA = $(31 - 10) + 28 + 31$ ✓ MCA = $21 + 28 + 31 = 80$ ✓CA	1MA days in Jan 1MCA adding days in 3 months 1CA simplification (3)	M L1

Q/V	Solution/Oplossing	Explanation/Verduideliking	T/L
1.1.5*	Price for 2 Pringles/Prys vir 2 Pringles $= 2 \left(\frac{R100}{6} \right)$ ✓ MA $= 2 \times R16,666$ $= R33,33$ ✓ CA	1MA dividing price by 6 and multiplying by 2 1CA simplification NPR (2)	M/F L1
1.2.1	A ✓✓ A	2A correct letter (2)	M L1
1.2.2	D ✓✓ A	2A correct letter Accept 60 km/h (2)	M L1
1.3.1	$7,3 \text{ m} = 7,3 \times 100 \text{ cm}$ ✓ MA $= 730 \text{ cm}$ ✓ A	1MA multiplying correct value by 100 1A simplification (2)	M L1
1.3.2*	$D = 7,3 \text{ m} - 5,2 \text{ m}$ ✓ MA $= 2,1 \text{ m}$ ✓ CA	1MA difference of correct lengths 1CA simplification (2)	M L1
1.3.3	0,5m ✓✓ A	2A height (2)	M L1
1.4.1*	✓A A layout plan is a top view that shows the arrangement of features. ✓A <i>'n Uitlegplan is die bo-aansig wat die rangskikking van die voorwerpe aantoon.</i> OR/OF A layout plan is the structural arrangement of items within a certain space. <i>'n Uitlegplan is die strukturele rangskikking van items binne 'n bepaalde ruimte.</i> OR/OF Plan of the entire inside cabin, showing location of seats, exit doors etc. <i>'n Plan van die hele binnekant van die kajuut wat die posisie van sitplekke, uitgang, deure ens. aantoon</i> OR/OF Drawing to scale showing physical arrangements of all resources that consume space within facilities. <i>'n Skaaltekening wat die fisiese posisies van al die items van spasie in beslag neem binne die fasiliteit</i>	2Aexplanation (2)	MP L1

Q/V	Solution/Oplossing	Explanation/Verduideliking	T/L
1.4.2*	28 ✓✓A	2A number of seats (2)	MP L1
1.4.3	✓A ✓A G1	1A correct seat 1A correct row (2)	MP L1
1.4.4*	6 ✓✓A	2A correct number (2)	P L1
		[29]	



Q/V	Solution/Oplissing	Explanation/Verduideliking	T/L
	<p>1 cm is 1 000 mm ✓A 4,4 cm is 4 400 mm ✓MCA ✓CA 4 400 mm = 4,4 m ✓C</p> <p style="text-align: center;">OR/OF</p> <p>1cm : 1 000 mm ✓MCA 1cm : 1 m ✓C ✓A 4,4 cm : 4,4 m ✓CA</p>	<p>1A correct measurement 1MCA using the scale 1CA simplification 1C conversion</p> <p style="text-align: center;">OR/OF</p> <p>1MCA using the scale 1C conversion 1A correct measurement 1CA simplification</p> <p style="text-align: right;">(4)</p>	
2.7.3	<p>Jan is correct. ✓A</p> <p style="text-align: center;">✓✓O</p> <p>When a photocopy is made the size of the plan may change while the number scale remains the same.</p> <p><i>Jan is korrek.</i> <i>Wanneer jy 'n fotostaat maak, kan die grootte van die plan verander en die getalskaal bly dieselfde</i></p>	<p>1A opinion 2O verification</p> <p style="text-align: right;">(3)</p>	MP L4
		[24]	



QUESTION/VRAAG 3 [35 MARKS/PUNTE]			
Q/V	Solution/Oplossing	Explanation/Verduideliking	T/L
3.1.1	$\begin{aligned} & \checkmark RT \qquad \qquad \qquad \checkmark MA \\ A &= 162 \text{ cm} + 1,5 \text{ cm} + 1,5 \text{ cm} \\ &= 162 \text{ cm} + (1,5 \text{ cm} \times 2) \\ &= 165 \text{ cm} \quad \checkmark CA \end{aligned}$	1RT inside length 1MA adding both sides 1CA simplification (3)	M L1
3.1.2*	$\begin{aligned} & \checkmark RT \qquad \qquad \qquad \checkmark MA \\ B &= 80 \text{ cm} - (40 \text{ cm} + 4,5 \text{ cm} + 1,5 \text{ cm} + 1,5 \text{ cm}) \\ &= 32,5 \text{ cm} \quad \checkmark CA \end{aligned}$	1RT both heights 1MA subtracting 1CA simplification (3)	M L1
3.2	$\begin{aligned} 31,496 \text{ inches/duim} &= 80 \text{ cm} \quad \checkmark RT \\ 1 \text{ inch/duim} &= \frac{80}{31,496} \text{ cm} \quad \checkmark MA \\ &= 2,54 \text{ cm} \quad \checkmark A \end{aligned}$	1R The height 80 cm 1MA dividing by 31,496 1A simplification (3)	M L2
3.3.1	$\begin{aligned} \text{Area of a rectangle} &= \text{length} \times \text{width} \\ \text{Opp van 'n reghoek} &= \text{lengte} \times \text{breedte} \\ &= 165 \text{ cm} \times 80 \text{ cm} \quad \checkmark MCA \\ &= 13\,200 \text{ cm}^2 \quad \checkmark CA \end{aligned}$	CA from 3.1.1 1MCA substitution 1CA simplification (2)	M L2
3.3.2*	$\begin{aligned} \text{Area of a rectangle} &= 13\,200 \text{ cm}^2 \\ &= \frac{13200}{(100)^2} \text{ m}^2 \quad \checkmark MCA \\ &= 1,32 \text{ m}^2 \quad \checkmark CA \end{aligned}$ <div style="border: 1px solid black; padding: 5px; display: inline-block; margin-top: 10px;"> $\begin{aligned} \text{or Area} &= 1,65 \times 0,8 \\ &= 1,32 \text{ m}^2 \end{aligned}$ </div>	CA from 3.3.1 1MCA dividing by 100^2 or 10 000 1CA simplification AO (2)	M L2
3.3.3	$\begin{aligned} 1 \ell \text{ covers/bedek} & 6,9 \text{ m}^2 \\ n \ell \text{ covers/bedek} & 1,32 \text{ m}^2 \\ n &= \frac{1,32}{6,9} \quad \checkmark MA \\ &= 0,1913... \ell \quad \checkmark CA \end{aligned}$ <p>To paint three coats/ Om drie lae te verf</p> $\begin{aligned} & \checkmark MA \\ 0,1913... \ell \times 3 &= 0,57 \ell \quad \checkmark CA \\ & \checkmark R \end{aligned}$	CA from 3.3.2 1MA dividing by 6,9 1CA simplification 1MA multiplying with 3 1CA simplification 1R rounding	M L3

Q/V	Solution/Oplissing	Explanation/Verduideliking	T/L
	<p style="text-align: center;">OR/OF</p> <p>Total area to cover / <i>Totale oppervlakte om te dek</i> \checkmarkMA $= 1,32 \text{ m}^2 \times 3 = 3,96 \text{ m}^2$ \checkmarkCA</p> <p>1 ℓ covers/<i>bedek</i> $6,9 \text{ m}^2$ <i>x</i> ℓ covers /<i>bedek</i> $3,96 \text{ m}^2$ \checkmarkMA $x = \frac{3,96}{6,9} = 0,57 \text{ ℓ}$ \checkmarkCA \checkmarkR</p> <p style="text-align: center;">OR/OF</p> <p>Paint needed/<i>Verf benodig</i> \checkmarkMA $= \frac{1,32 \times 2}{6,9} \text{ ℓ} + \frac{1,32}{6,9} \text{ ℓ}$ \checkmarkMA \checkmarkCA \checkmarkCA $= 0,38 \text{ ℓ} + 0,19 \text{ ℓ}$ $= 0,57 \text{ ℓ}$ \checkmarkR</p> <p style="text-align: center;">OR/OF</p> <p>Total area to cover / <i>Totale oppervlakte om te dek</i> \checkmarkMA \checkmarkCA $= 1,32 \text{ m}^2 \times 3 = 3,96 \text{ m}^2$</p> <p>Spread rate/ <i>Spreikoers</i> = $\frac{1 \text{ ℓ}}{6,9 \text{ m}^2}$ \checkmarkMA $= 0,144... \text{ ℓ/m}^2$</p> <p>Total amount of litres / <i>Totale aantal liters</i> $= 0,144 \times 3,96$ \checkmarkCA $= 0,57 \text{ ℓ}$ \checkmarkR</p> <p style="text-align: center;">OR/OF</p> <p>Spread rate/ <i>Spreikoers</i> = $\frac{1 \text{ ℓ}}{6,9 \text{ m}^2}$ \checkmarkMA $= 0,144... \text{ ℓ/m}^2$</p> <p>Paint needed for 1 coat/ <i>Verf nodig vir 1 laag</i> $= 0,144 \times 1,32 = 0,19... \text{ ℓ}$ \checkmarkCA</p> <p>Paint needed for 3 coats/ <i>Verf nodig vir 3 lae</i> \checkmarkMA $= 0,19... \times 3$ \checkmarkCA $= 0,57 \text{ ℓ}$ \checkmarkR</p>	<p>1MA multiplying with 3 1CA simplification</p> <p>1MA dividing by 6,9 1CA simplification 1R rounding</p> <p style="text-align: center;">OR/OF</p> <p>1MA dividing by 6,9 1MA adding the 2 coats and 1 1CA simplification 1CA simplification 1R rounding</p> <p style="text-align: center;">OR/OF</p> <p>1MA multiplying with 3 1CA simplification 1MA dividing by 6,9</p> <p>1CA simplification 1R rounding</p> <p style="text-align: center;">OR/OF</p> <p>1MA dividing by 6,9</p> <p>1CA simplification</p> <p>1MA multiplying with 3 1CA simplification 1R rounding</p> <p style="text-align: right;">(5)</p>	
3.3.4	$0,57 \text{ ℓ} \times 1\,000$ \checkmark MCA $= 570 \text{ ml}$ \checkmark CA Not valid \checkmark O <i>Nie geldig nie</i>	1MCA (from Q3.3.3 multiply by 1 000) 1CA simplification 1O verification	M L4

Q/V	Solution/Oplissing	Explanation/Verduideliking	T/L
	<p style="text-align: center;">OR/OF</p> $500 \text{ ml} \div 1\,000 \checkmark \text{MCA}$ $= 0,5 \text{ l less than } 0,57 \text{ l} \checkmark \text{CA}$ <p>Tsidi's statement is invalid $\checkmark \text{O}$</p> <p style="text-align: center;">OR/OF</p> <p>1 l covers/bedek $6,9 \text{ m}^2$</p> $500 \text{ ml covers/bedek } \frac{6,9}{2} = 3,45 \text{ m}^2 \checkmark \text{MCA}$ <p style="text-align: right;">$\checkmark \text{CA}$</p> $\text{Area to paint / Opp om te verf} = 1,32 \text{ m}^2 \times 3 = 3,96 \text{ m}^2$ <p>The paint is not enough / invalid $\checkmark \text{O}$ Die verf is nie genoeg / nie geldig</p> <p style="text-align: center;">OR/OF</p> <p>Coverage per coat/Dekking per laag</p> $= \frac{500 \text{ ml}}{3} = \frac{0,5 \text{ l}}{3} = 0,166.. \checkmark \text{MCA}$ <p>Coverage /Dekking = $0,166 \times 6,9 = 1,15 \text{ m}^2 \checkmark \text{CA}$</p> <p>$1,32 \text{ m}^2$ needs to be covered per coat/moet per laag gedek word.</p> <p>Not valid / Nie geldig nie $\checkmark \text{O}$</p>	<p style="text-align: center;">OR/OF</p> <p>1MCA (from Q3.3.3 dividing by 1 000)</p> <p>1CA simplification</p> <p>1O verification</p> <p style="text-align: center;">OR/OF</p> <p>1MCA area</p> <p>1CA simplification</p> <p>1O verification</p> <p style="text-align: center;">OR/OF</p> <p>1MCA dividing</p> <p>1CA simplification</p> <p>1O verification</p> <p style="text-align: right;">(3)</p>	
3.4.1*	<p>Number of boxes/ <i>Getal bokse</i></p> $= \frac{162 \text{ cm}}{34,5 \text{ cm}} \checkmark \text{MA}$ $\checkmark \text{C}$ $= 4,695... \checkmark \text{CA}$ <p>\therefore 4 boxes $\checkmark \text{R}$</p> <p style="text-align: center;">OR/OF</p> <p>Number of boxes/ <i>Getal bokse</i></p> $= \frac{1\,620 \text{ mm}}{345 \text{ mm}} \checkmark \text{C}$ $\checkmark \text{MA}$ $= 4,695... \checkmark \text{CA}$ <p>\therefore 4 boxes $\checkmark \text{R}$</p>	<p>1MA dividing</p> <p>1C conversion</p> <p>1CA simplification</p> <p>1R rounding down</p> <p style="text-align: center;">OR/OF</p> <p>1C conversion</p> <p>1MA dividing</p> <p>1CA simplification</p> <p>1R rounding down</p> <p style="text-align: right;">(4)</p>	M L2 #

Q/V	Solution/Oplissing	Explanation/Verduideliking	T/L
3.4.2	<p>Number of single files/ <i>Getal enkel lêers</i></p> $= \frac{162\text{cm}}{8,1\text{cm}} \quad \checkmark\text{MA}$ $= 20 \quad \checkmark\text{A}$ <p>Number of files in boxes /<i>Getal lêers in 'n boks</i></p> $= 4 \times 4 \quad \checkmark\text{RT}$ $= 16 \quad \checkmark\text{CA}$ <p>Difference in the number of files/<i>Verskil in getal lêers</i></p> $= 20 - 16$ $= 4 \quad \checkmark\text{CA}$	<p>CA number of boxes from 3.4.1</p> <p>1MA dividing 1A simplification</p> <p>1RT number of files in a box 1CA simplification</p> <p>1CA difference in files</p> <p>(5)</p>	M L3
3.4.3	<p>Neater storage/ <i>Netjieser berging</i> $\checkmark\checkmark\text{O}$</p> <p style="text-align:center">OR/OF</p> <p>Files stand up straight/<i>Die lêers staan regop</i></p> <p style="text-align:center">OR/OF</p> <p>Prevents dust on documents in the files/ <i>Verhoed dat stof op die dokumente in die lêers kom.</i></p> <p style="text-align:center">OR/OF</p> <p>It is easier to separate the files accordingly. <i>Dit is makliker om haar lêers te verdeel</i></p> <p style="text-align:center">OR/OF</p> <p>To categorise /organise her files/<i>Dit is om haar lêers te katagoriseer /organiseer</i></p> <p style="text-align:center">OR/OF</p> <p>Prevent files from breaking/ damage/protect files <i>Verhoed dat lêers breek of beskadig/beskerm lêers</i></p>	<p>20 reason</p> <p>(2)</p>	M L4
3.4.4	$P = \frac{1}{16} \times 100\% \quad \checkmark\text{A}$ $= 6,25\% \quad \checkmark\text{MCA}$ $\quad \checkmark\text{CA}$	<p>CA denominator from 3.4.2</p> <p>1A numerator 1MCA denominator</p> <p>1CA simplification</p> <p>(3)</p>	P L2
		[35]	

QUESTION/VRAAG 4 [33 MARKS/PUNTE]			
Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
4.1.1	<p style="text-align: center;">✓✓A</p> <p>Perennial garden bed./Meerjarige tuinbeddings</p> <p style="text-align: center;">OR/OF</p> <p>Compost / Kompos</p>	<p>2A correct feature</p> <p style="text-align: right;">(2)</p>	<p>MP L2</p>
4.1.2	<p>Water is scarce/Water is skaars</p> <p style="text-align: center;">OR/OF</p> <p>Rain water is free compared to tap water ✓✓O Reënwater is gratis in vergelyking met kraanwater</p> <p style="text-align: center;">OR/OF</p> <p>Pay less water bills/Betaal minder vir water</p> <p style="text-align: center;">OR/OF</p> <p>Water storage/ om water te stoor</p> <p style="text-align: center;">OR/OF</p> <p>To save water for future use Om water te spaar vir toekomstige gebruik</p> <p style="text-align: center;">OR/OF</p> <p>To harvest rain water Om reënwater op te gaar</p>	<p>2A Reason</p> <p style="text-align: right;">(2)</p>	<p>MP L4</p>
4.1.3	<p>Greenhouse roof/ gutters / Kweekhuis dak/geute ✓O</p> <p style="text-align: center;">OR/OF</p> <p>Livestock Barn roof/ gutters / Vee stoor dak/geute ✓O</p> <p style="text-align: center;">OR/OF</p> <p>Solar greenhouse roof / gutters/ Sonkrag kweekhuis</p>	<p>1A correct structure</p> <p>1A 2nd correct structure</p> <p>Accept roof and gutter /pipe full marks (Any 2 structures)</p> <p style="text-align: right;">(2)</p>	<p>MP L4</p>
4.1.4	<p style="text-align: center;">✓RT ✓RT</p> <p>Area/Oppervlakte = $\frac{1}{2} \times 17,024 \text{ m} \times 19,5 \text{ m}$</p> <p style="text-align: center;">= 165,984 m² ✓CA</p>	<p>1RT correct height</p> <p>1RT correct base</p> <p>1CA area of a triangle</p> <p>NPR</p> <p style="text-align: right;">(3)</p>	<p>M L2</p>
4.1.5	<p>Option/Opsie A = R1 154 × 2 ✓MA</p> <p style="text-align: right;">= R2 308 ✓CA</p> <p>Option/Opsie B = R127,30 × 19 ✓MA</p> <p style="text-align: right;">= R2 418,70 ✓CA</p> <p>Option A. ✓O Opsie A.</p>	<p>1MA multiply by 2</p> <p>1CA option A cost</p> <p>1MA multiply by 19</p> <p>1CA option B cost</p> <p>1O best option</p> <p style="text-align: right;">(5)</p>	<p>MF L4</p>

Q/V	Solution/Oplossing	Explanation/Verduideliking	T&L
4.2	$\text{Volume} = 3,142 \times r^2 \times \text{height/hoogte}$ $\checkmark\text{SF}$ $5000 \ell = 3,142 \times r^2 \times 220 \text{ cm}$ $\checkmark\text{C}$ $5000\ 000 = 691,24 \times r^2$ $\frac{5\ 000\ 000}{691,24} = r^2 \quad \checkmark\text{M}$ $7233,377698 = r^2 \quad \checkmark\text{S}$ $\sqrt{7233,377698} = r \quad \checkmark\text{M}$ $85,05 \text{ cm} = r \quad \checkmark\text{CA}$	<p>1SF substituting 5000</p> <p>1C converting ℓ to cm^3</p> <p>1M dividing by 691,24</p> <p>1S simplification</p> <p>1M finding square root</p> <p>1CA radius value NPR</p> <p>(6)</p>	M L3
4.3.1*	$18 : 42 \quad \checkmark\text{A}$ $= 3 : 7 \quad \checkmark\text{CA}$	<p>1A correct order and values</p> <p>1CA only if one value is correct or reversed order</p> <p>(2)</p>	MP L1
4.3.2	$\text{Height/hoogte} = \frac{42''}{12''} = 3,5 \text{ feet/voet} \quad \checkmark\text{MA}$ $3,28084 \text{ feet/voet} = 1\ 000 \text{ mm}$ $\therefore 3,5 \text{ feet/voet} = \frac{3,5}{3,28084} \times 1\ 000 \quad \checkmark\text{C}$ $= 1\ 066,799\dots \text{mm} \quad \checkmark\text{CA}$ <p style="text-align: center;">OR/OF</p> $3,28084 \text{ feet} = 1\ 000 \text{ mm}$ $1 \text{ foot} = n \quad \checkmark\text{MA}$ $n = 304,79999 \text{ mm}$ $1 \text{ foot} = 12 \text{ inches}$ $\text{Then } 12 \text{ inches} = 304,79999 \text{ mm}$ $1 \text{ inch} = \frac{304,79999 \text{ mm}}{12} \quad \checkmark\text{C}$ $= 25,39999 \text{ mm}$ $\text{Therefore } 42 \text{ inches} = 42 \times 25,39999 \text{ mm}$ $= 1066,7999 \text{ mm}$ $= 1\ 066,8 \text{ mm} \quad \checkmark\text{CA}$	<p>1MA converting to feet</p> <p>1C converting to mm</p> <p>1CA simplification</p> <p style="text-align: center;">OR/OF</p> <p>1MA converting to feet</p> <p>1C converting to mm</p> <p>1CA simplification NPR</p> <p>(3)</p>	M L2

Q/V	Solution/Oplissing	Explanation/Verduideliking	T&L
4.3.3	(a) iii ✓A (b) i ✓A (c) ii ✓A	3A correct Roman numeral (3)	MP L1
4.3.4	Q ✓✓A	2A correct letter (2)	MP L1
4.3.5*	✓✓A The notch labelled S is placed against B and the notch labelled R is placed against C ✓A <i>Die sitplek word bo-op die kantspanstukke geplaas</i> <i>Die uitkeping S word op B geplaas en die uitkeping R</i> <i>word teen C geplaas.</i>	2A mentioning the position of the 1st notch 1A second notch (3)	MP L4
		[33]	



Q/V	Solution/Oplossing	Explanation/Verduideliking	T&L
5.1.4	<p>Number of litres in 23 gallons/<i>Getal liter in 23 gelling</i></p> $= 3,785 \times 23 \quad \checkmark C$ $= 87,055 \text{ litre} \quad \checkmark S$ <p>Cost of 87,055 litre/ <i>Prys vir 87,055 liter</i></p> $= 87,055 \times R15,97$ $= R1\ 390,27 \quad \checkmark CA$ <p>Valid/ <i>Geldig.</i> $\checkmark O$</p> <p style="text-align: center;">OR/OF</p> <p>Number of litres / <i>Getal liter</i></p> $= \frac{R1400}{R\ 15,97}$ $= 87,664.. \text{ litre} \quad \checkmark S$ <p>Number of gallons / <i>Getal gellings</i></p> $= \frac{87,664}{3,785} \quad \checkmark C$ $= 23,16 \text{ gallons} \quad \checkmark CA$ <p>Can buy more with R1 400/<i>Kan meer koop met R 1400</i></p> <p>Valid / <i>Geldig</i> $\checkmark O$</p>	<p>1C gallons to litre</p> <p>1S simplification</p> <p>1CA cost of fuel</p> <p>1O conclusion</p> <p style="text-align: center;">OR/OF</p> <p>1S simplification</p> <p>1C gallons to litre</p> <p>1CA cost of fuel</p> <p>1O conclusion</p> <p>NPR</p>	<p>MF L4</p> <p style="text-align: right;">(4)</p>



Q/V	Solution/Oplossing	Explanation/Verduidelik	T/L
5.1.5	<p>1 full tank of fuel/ 1 vol tenk = 23 gallons /gelling ✓ A He can travel/ Hykan reis = $23 \times 18 = 414$ miles</p> <p>Distance/afstand ✓ RT Greenfield - Fitchburg = 49 miles/myl Number of trips on 1 full tank /Getalritte met 1 voltenk</p> $= \frac{414}{49} = 8,448..$ <p>✓ CA \therefore 8 trips on 1 full tank / 8 ritte met 1 voltenk</p> <p>So, then he will fill tank back to 23 gallons Dan hervulhy die tenk tot 23 gelling</p> <p>Amount of fuel for 1 return trip/ brandstofvir1heen-en-weer reis</p> $= \frac{98}{18} = 5,44 \text{ gallon}$ <p>✓ CA</p> <p>Left in a tank is $23 - 5,44 = 17,56$ gallons. ✓ MA ✓ CA Oor in die tenk is $23 - 5,44 = 17,56$ gelling</p> <p>OR/OF ✓ RT Distance/afstand_(Greenfield and Fitchburg) = 49 miles/myl</p> <p>Weekly must travel/ moet weekliks ry $= 5 \times 2 = 10$ trips ✓ MA</p> <p>He can travel = $23 \times 18 = 414$ miles with a full tank. ✓ MA Hy kan 414 myl ry met 'n vol tenk, 8 trips is $49 \times 8 = 392$ miles – now he needs to refill after Thursday's trips 8 ritte is 392 myl – dan hervul hy na Donderdag se terugkeer.</p> <p>With the full tank he only needs to travel Friday return trip / HyrydanslegsVrydagheen-en-weer ✓ A Friday trip: $49 \times 2 = 98$ miles / myl</p> $\text{Used/Gebruik} = \frac{98}{18} = 5,44 \text{ gallons/ gelling}$ <p>Left in a tank is $23 - 5,44 = 17,56$ gallons. ✓ MA ✓ CA Daar is $23 - 5,44 = 17,56$ gelling in die tenk oor</p>	<p>1A travel distance</p> <p>1RT trip distance</p> <p>1MA dividing</p> <p>1CA number of trips</p> <p>1MA dividing 1CA simplification</p> <p>1MA subtracting 1CA simplification</p> <p>OR/OF 1RT trip distance</p> <p>1MA weekly miles</p> <p>1MA multiply</p> <p>1A travel distance</p> <p>1MA dividing 1CA usage on last day</p> <p>1MA subtracting 1CA diff. between capacity and used gallons</p>	<p>M L3</p>

Q/V	Solution/Oplossing	Explanation/Verduideliking	T/L
	<p>18 miles on 1 gallon / 18 myl op 1 gelling</p> <p>✓ RT 49 miles on x gallon / 49 myl op x gelling</p> <p>$x = \frac{48}{18} = 2,722\dots$ gallon per trip / gelling per rit ✓ MA ✓ A</p> <p>Number of trips on 1st full tank / Getalritte met 1st voltenk</p> <p>$= \frac{23}{2,722\dots} = 8,44\dots$ ✓ CA</p> <p>∴ 8 trips before he fills up again / 8 rittevoorhyweervolmaak</p> <p>∴ 2 trips with second full tank/ 2 ritte met die 2de voltenk</p> <p>Fuel used / Brandstofverbruik</p> <p>✓ MA ✓ CA $= 2,722\dots \times 2 = 5,44\dots$ gallon / gelling</p> <p>Left in the tank / Oor in die tenk</p> <p>✓ MA ✓ CA $= 23 - 5,44\dots = 17,56$ gallon / gelling.</p> <p style="text-align: center;">OR/OF</p> <p>Single Trip/Enkelrit = 49 miles /myl ✓ RT</p> <p>Number of gallons for 1 trip/ Getal gelling vir 1 rit</p> <p>$= 49 \div 18 = 2,72$ ✓ MA ✓ A</p> <p>Number of gallons for return trip/ virretoerit</p> <p>$= 2,72 \times 2 = 5,44$ ✓ CA</p> <p>23 gallons/gelling $\div 5,44 = 4,22$ days/dae ✓ MA ✓ CA</p> <p style="text-align: center;">≈ 4 days/dae</p> <p>No of gallons left / Hoeveelheid gelling oor</p> <p>✓ MA ✓ CA $= 23 - 5,44 = 17,56$ gallons</p> <p style="text-align: center;">OR/OF</p>	<p>1RT trip distance 1MA dividing 1A travel distance</p> <p>1CA number of trips</p> <p>1MA multiplying 1CA simplification</p> <p>1MA subtracting 1CA simplification</p> <p style="text-align: center;">OR/OF</p> <p>1RT trip distance</p> <p>1MA dividing 1A travel distance</p> <p>1CA number of trips 1MA dividing 1CA simplification</p> <p>1MA subtracting 1CA simplification</p> <p style="text-align: center;">OR/OF</p>	

Q/V	Solution/Oplossing	Explanation/Verduideliking	T/L		
	<p> $23 \times 18 = 414$ miles/myl ✓A ✓ RT ✓MA Monday/Maandag : $49 \times 2 = 98$ miles/myl Tuesday/Dinsdag : 98 miles/myl Wednesday/Woensdag: 98 miles/myl Thursday/ Donderdag 98 miles/myl Totaal = 392 miles/myl ✓CA Fill up the tank on Thursday / <i>Maak die tenk vol petrol op Donderdag</i> </p> <table border="1" style="width: 100%;"> <tr> <td style="width: 50%;"> Used per day / <i>Gebruik per dag</i> ✓ MA ✓ CA $= 98 \div 18 = 5,44$ gallons Petrol left in tank / <i>Petrol oor in tenk</i> $= 23 - 5,44$ ✓ MA ✓ CA $= 17,56$ gallons </td> <td style="width: 50%;"> Miles that can be travelled after Friday / <i>Myle wat nog gereis kan word na Vrydag</i> $= 414 - 98$ $= 316$ miles/myl Petrol left in tank / <i>Petrol oor in tenk</i> $= 316 \div 18$ $= 17,56$ gallons </td> </tr> </table>	Used per day / <i>Gebruik per dag</i> ✓ MA ✓ CA $= 98 \div 18 = 5,44$ gallons Petrol left in tank / <i>Petrol oor in tenk</i> $= 23 - 5,44$ ✓ MA ✓ CA $= 17,56$ gallons	Miles that can be travelled after Friday / <i>Myle wat nog gereis kan word na Vrydag</i> $= 414 - 98$ $= 316$ miles/myl Petrol left in tank / <i>Petrol oor in tenk</i> $= 316 \div 18$ $= 17,56$ gallons	<p>1A travel distance 1RT trip distance 1MA multiplying 1CA number of trips 1MA dividing 1CA simplification 1MA subtracting 1CA simplification</p>	(8)
Used per day / <i>Gebruik per dag</i> ✓ MA ✓ CA $= 98 \div 18 = 5,44$ gallons Petrol left in tank / <i>Petrol oor in tenk</i> $= 23 - 5,44$ ✓ MA ✓ CA $= 17,56$ gallons	Miles that can be travelled after Friday / <i>Myle wat nog gereis kan word na Vrydag</i> $= 414 - 98$ $= 316$ miles/myl Petrol left in tank / <i>Petrol oor in tenk</i> $= 316 \div 18$ $= 17,56$ gallons				
5.2	<p> ${}^{\circ}\text{C} = \frac{5}{9}({}^{\circ}\text{F} - 32)$ $-7 = \frac{5}{9}({}^{\circ}\text{F} - 32)$ ✓ SF ${}^{\circ}\text{F} = \frac{9}{5} \times -7 + 32$ ✓ S $= 19,4$ ✓ CA $\approx 20^{\circ}\text{F}$ ✓ R </p> <table border="1" style="width: 100%;"> <tr> <td> Or/of ${}^{\circ}\text{F} = -7 \div \frac{5}{9} + 32$ $= 19,4^{\circ}\text{C}$ $\approx 20^{\circ}\text{C}$ </td> </tr> </table>	Or/of ${}^{\circ}\text{F} = -7 \div \frac{5}{9} + 32$ $= 19,4^{\circ}\text{C}$ $\approx 20^{\circ}\text{C}$	<p>1SF substitution 1S simplification 1CA simplification 1R rounding</p>	M L2 (4)	
Or/of ${}^{\circ}\text{F} = -7 \div \frac{5}{9} + 32$ $= 19,4^{\circ}\text{C}$ $\approx 20^{\circ}\text{C}$					
			[29]		
TOTAL/TOTAAL: 150					